



ELTEC

HLB SERIES

Authorised Dealer

 TJ Lift Solutions Ltd.

Premium Elevators

Eltec is passionate about supplying the most beautiful and functional all-electric elevators. As innovators in this space for several generations, we have developed some of the very best electric lifts. Our superior, more environmental elevators are renowned for their reliability and modern design aesthetic.

Join us as we continue to redefine the elevator industry.

ELTEC
Established 1994



Latest Technology

Our industry-leading elevators are made with the latest cutting-edge technology.



Safety

Our elevators meet the strictest safety standards.



Environmental

Our range includes fully electric, eco-friendly, and cost-efficient elevators.



Experience

We are a multigenerational business with a proud history of innovation.



Quick Installation

Our elevators allow for a quick and seamless installation process.



Full Service

Our partners can sell, install and maintain Eltec-branded elevators.

Eltec HLB

The Eltec HLB is a highly customisable elevator that utilises the latest all-electric traction system. This stunning elevator is one of the most environmentally friendly lifts to operate.



Electric Elevator / European A-Grade Energy Class



Customise Your Elevator

Create a truly unique elevator experience by choosing from an expansive range of doors, wall panels, flooring, control panels, ceilings and more.

Doors	● Wall Panels	Flooring	Control Panels	Ceilings	+

General Specification Information

Regulations	European
Drive System	VVVF all-electric traction system with counterweights
Country of Origin	Manufactured in Italy
Capacity	250–400 kg (wheelchair capacity)
Maximum Travel	20 m
Number of Stops	10
Maximum Speed	0,15 m/sec
Pit Depth	180 mm
Headroom	2550 mm
Motor Room	Motor and controller housed within shaft
Power	Single phase / 230 V 10 A



Doors

Premium door options available as either sliding or swing. Door finishes come in a range of contemporary metallics and powder-coated colours.

Types




Elettra (2 glass doors) Elsa (1 glass door) Big Vision (sliding windows) Full Glass (sliding all-glass) Metallic Sliding



Metallic Swing Reverse (1 glass door) Wings B-Wings

Popular Finishes



C0013 Stainless Steel SB C0014 Stainless Steel Lucido 7 B0081 OXNA Anodized B0096 WH02 WHITE B0048 RAL 9005 HALF SHEEN









Metallic Swing








Reverse




Wall Panels

An array of beautiful cabin finishes ensure your elevator can be customised to match any interior style. Additional options available upon request.


Laminates

					
405 Bianco Porcellana Fin. Sei	871 Grigio Scuro Fin. Sei	1845 Sherwood Fin. Sei	Fenix 0718 Grigio Londra	Fenix 0750 Verde Comodoro	Fenix 0720 Nero Ingo




Wood Laminates

					
1955 Montale Noli Fin. Root	1451 Urban Style Fin. Climb	1961 Aurora Norvegia Fin. Root	386 Rovere Nazionale Fin. Aquarama	370 Olmo Fine Fin. Root	657 Rovere America Fin. Holz

Glass

					
C0004 Clear Glass	C0005 Satin Glass	C0006 White Milk Glass	C0008 Stop Sol Super Silver Glass	C0007 Smoked Glass	C0009 Stop Sol Bronze Glass

Stainless Steel

			
C0013 Stainless Steel SB	C0016 Stainless Steel Lino Lucido	C0015 Stainless Steel 2WL Lucido	C0014 Stainless Steel Lucido 7


Mirror

	
C0002 Mirror	C0003 Burnished Mirror



Flooring

Select from a range of elegant flooring options that ascend in quality and prestige. Additional options available upon request.

PVC

	
PVC 2609 Light Smoke	PVC 5410 Silex

Sintered Stone (Base)

			
A0028 Neolith Just White (Silk)	A0026 Neolith Blanco Carrara (Silk)	A0029 Neolith Zaha Stone (Silk)	A0027 Neolith Nero (Satin)

Sintered Stone (Premium)

			
A0031 Neolith Estuario (Polished)	A0032 Neolith Calacatta Luxe (Polished)	A0030 Neolith Colorado Dunes (Silk)	A0033 Neolith Layla (Polished)



Control Panels

Choose from our range of sophisticated control panels, all of which come in a beautiful selection of metallic finishes.

Types



Eltec h1100



Eltec Full Height



Horizontal




Venice Touch

Popular Finishes



B0081 OXNA
Anodized



B0089 S9E
Anodized



B0070 INOXS
Anodized




B0091 S9LR
Anodized

See the accessories section for the screen, button and emergency contact options available with each control panel.







Ceiling

Select from a range of downlight options, from classic through to eye-catching statement pieces.

Types



Popular Finishes



C0013 Stainless Steel SB



C0014 Stainless Steel Lucido 7

Accessories

Apply the finishing touches to your elevator and select from a range of additional accessories.

Display



Tricolor Blue



IRIS 7 TFT

Emergency Contact



Intercom



Handset

Keys



Key Vega



I Button

Buttons



Vega Venus



Vega Giunone

Mirrors



Mirror
700 x 900 mm



Mirror
500 x 1600 mm

Handrails



Handrail d25



Handrail d32



AU Shaft

Easily combined with the Eltec HLB, the AU shaft is a self-supporting structure that eliminates the need for a structural wall, making it an exceptional option for both new builds and retrofits.



*Cabin and doors not included with shaft

Complete Solution


The AU shaft ensures the optimum running conditions for the Eltec HLB. Using the AU shaft can help save on building costs and avoid shaft building errors and expensive rectification work.

General Specification Information

Type	Modular
Material	Aluminium
Structure	Load-bearing (customisable infill)
Maximum Height	20 m
Country of Origin	Italy
Installation	For indoor use

TA Freestanding


Effortlessly paired with the Eltec HLB, the TA Freestanding shaft is a seamless structure that creates a beautiful statement piece in any space. This water-resistant structure is a great option for internal and external installations.



*Cabin and doors not included with shaft

Customisable Finishes

Both the frame and the glass panels on the TA Freestanding shaft can be finished in a myriad of sophisticated colourways.




General Specification Information

Type	Modular
Material	Aluminium
Structure	Load-bearing (with flush external or internal infill)
Maximum Height	20 m
Country of Origin	Italy
Installation	For indoor and outdoor use


Swing Door (MS)

The following specification details are for the Eltec HLB with a swing-door configuration in a masonry shaft (MS). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1100	1010	720	900	650	250
XS	1200	1310	820	1200	750	250
S	1250	1310	870	1200	800	300
M	1350	1310	970	1200	900	300
L	1400	1410	1020	1300	950	350
XL	1480	1510	1100	1400	900	385
XXL	1580	1510	1200	1400	900	400




	SW	SD	CW	CD	DO	KG
XXS	880	1240	720	900	650	250
XS	980	1540	820	1200	750	250
S	1030	1540	870	1200	800	300
M	1130	1540	970	1200	900	300
L	1180	1590	1020	1250	950	330
XL	1260	1640	1100	1300	900	385
XXL	1360	1640	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1100	990	720	900	650	250
XS	1200	1290	820	1200	750	300
S	1250	1290	870	1200	800	300
M	1350	1290	970	1200	900	330
L	1400	1390	1020	1300	950	350
XL	1480	1490	1100	1400	900	385
XXL	1580	1590	1200	1500	900	400




	SW	SD	CW	CD	DO	KG
XXS	1090	870	730	750	650	250
XS	1090	970	730	850	650+	250
S	1190	970	830	850	750	250
M	1240	1020	880	900	800	250
L	1560	1320	1200	1200	750	385
XL	1510	1420	1150	1300	800	385
XXL	1610	1520	1250	1400	900	400




Sliding Door (MS)

The following specification details are for the Eltec HLB with a sliding-door configuration in a masonry shaft (MS). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1150	1210	770	900	650	250
XS	1220	1510	820	1200	700	250
S	1300	1510	870	1200	750	300
M	1380	1510	970	1200	800	300
L	1450	1610	1020	1300	850	350
XL	1530	1710	1100	1400	900	385
XXL	1580	1760	1200	1450	900	400




	SW	SD	CW	CD	DO	KG
XXS	1080	1440	820	900	600	250
XS	1080	1740	820	1200	600	250
S	1150	1740	870	1200	650	300
M	1220	1740	970	1200	700	300
L	1300	1790	1020	1250	750	330
XL	1380	1840	1100	1300	800	385
XXL	1520	1840	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1150	1380	770	900	650	250
XS	1220	1680	820	1200	700	250
S	1300	1680	870	1200	750	300
M	1370	1680	970	1200	800	300
L	1450	1780	1020	1300	850	350
XL	1520	1880	1100	1400	900	385
XXL	1580	1980	1200	1500	900	400




	SW	SD	CW	CD	DO	KG
XXS	1340	1320	780	1000	650	250
XS	1410	1520	830	1200	700	250
S	1480	1520	880	1200	750	300
M	1560	1520	980	1200	800	300
L	1630	1620	1030	1300	850	350
XL	1710	1720	1100	1400	900	385
XXL	1760	1620	1200	1300	900	400




Swing Door (AS)

The following specification details are for the Eltec HLB with a swing-door configuration in an AU Shaft (AS). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1200	1100	720	900	650	250
XS	1300	1400	820	1200	750	250
S	1370	1400	870	1200	800	300
M	1470	1400	970	1200	900	300
L	1520	1500	1020	1300	950	350
XL	1600	1600	1100	1400	900	385
XXL	1700	1600	1200	1400	900	400




	SW	SD	CW	CD	DO	KG
XXS	1000	1330	720	900	650	250
XS	1100	1630	820	1200	750	250
S	1150	1660	870	1200	800	300
M	1250	1660	970	1200	900	300
L	1300	1710	1020	1250	950	330
XL	1350	1760	1100	1300	900	385
XXL	1450	1760	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1220	1080	720	900	650	250
XS	1300	1380	820	1200	750	300
S	1350	1380	870	1200	800	300
M	1470	1380	970	1200	900	330
L	1520	1480	1020	1300	950	350
XL	1600	1580	1100	1400	900	385
XXL	1700	1680	1200	1500	900	400




	SW	SD	CW	CD	DO	KG
XXS	-	-	-	-	-	-
XS	-	-	-	-	-	-
S	-	-	-	-	-	-
M	-	-	-	-	-	-
L	1670	1430	1200	1200	750	385
XL	1620	1530	1150	1300	800	385
XXL	1720	1630	1250	1400	900	400




Sliding Door (AS)

The following specification details are for the Eltec HLB with a sliding-door configuration in an AU Shaft (AS). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1270	1290	770	900	650	250
XS	1350	1590	820	1200	700	250
S	1420	1590	870	1200	750	300
M	1500	1590	970	1200	800	300
L	1570	1690	1020	1300	850	350
XL	1650	1790	1100	1400	900	385
XXL	1700	1840	1200	1450	900	400




	SW	SD	CW	CD	DO	KG
XXS	1180	1540	820	900	600	250
XS	1180	1840	820	1200	600	250
S	1250	1840	870	1200	650	300
M	1330	1840	970	1200	700	300
L	1400	1890	1020	1250	750	330
XL	1480	1940	1100	1300	800	385
XXL	1630	1940	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1270	1460	770	900	650	250
XS	1340	1760	820	1200	700	250
S	1420	1760	870	1200	750	300
M	1490	1760	970	1200	800	300
L	1570	1860	1020	1300	850	350
XL	1640	1960	1100	1400	900	385
XXL	1700	2060	1200	1500	900	400




	SW	SD	CW	CD	DO	KG
XXS	1440	1420	780	1000	650	250
XS	1520	1620	830	1200	700	250
S	1590	1620	880	1200	750	300
M	1670	1620	980	1200	800	300
L	1740	1720	1030	1300	850	350
XL	1820	1820	1100	1400	900	385
XXL	1860	1720	1200	1300	900	400




Swing Door (TF)

The following specification details are for the Eltec HLB with a swing-door configuration in a TA Freestanding shaft (TF). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1260	1115	720	900	650	250
XS	1360	1415	820	1200	750	250
S	1410	1415	870	1200	800	300
M	1510	1415	970	1200	900	300
L	1560	1515	1020	1300	950	350
XL	1640	1615	1100	1400	900	385
XXL	1740	1615	1200	1400	900	400




	SW	SD	CW	CD	DO	KG
XXS	1085	1360	720	900	650	250
XS	1185	1660	820	1200	750	250
S	1240	1660	870	1200	800	300
M	1335	1660	970	1200	900	300
L	1385	1710	1020	1250	950	330
XL	1405	1760	1100	1300	900	385
XXL	1505	1760	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1255	1095	720	900	650	250
XS	1355	1395	820	1200	750	300
S	1405	1395	870	1200	800	300
M	1505	1395	970	1200	900	330
L	1555	1495	1020	1300	950	350
XL	1635	1595	1100	1400	900	385
XXL	1735	1695	1200	1500	900	400




	SW	SD	CW	CD	DO	KG
XXS	-	-	-	-	-	-
XS	-	-	-	-	-	-
S	-	-	-	-	-	-
M	-	-	-	-	-	-
L	1670	1475	1200	1200	750	385
XL	1620	1575	1150	1300	800	385
XXL	1720	1675	1250	1400	900	400




Sliding Door (TF)

The following specification details are for the Eltec HLB with a sliding-door configuration in a TA Freestanding Shaft (TF). Specific plans will be provided per project; please do not build to the following specifications.


	SW	SD	CW	CD	DO	KG
XXS	1365	1300	770	900	650	250
XS	1440	1600	820	1200	700	250
S	1515	1600	870	1200	750	300
M	1590	1600	970	1200	800	300
L	1665	1700	1020	1300	850	350
XL	1740	1800	1100	1400	900	385
XXL	1740	1850	1200	1450	900	400




	SW	SD	CW	CD	DO	KG
XXS	1290	1535	820	900	600	250
XS	1290	1835	820	1200	600	250
S	1360	1835	870	1200	650	300
M	1435	1835	970	1200	700	300
L	1515	1885	1020	1250	750	330
XL	1590	1935	1100	1300	800	385
XXL	1740	1935	1200	1300	900	400



	SW	SD	CW	CD	DO	KG
XXS	1365	1470	770	900	650	250
XS	1440	1770	820	1200	700	250
S	1515	1770	870	1200	750	300
M	1590	1770	970	1200	800	300
L	1665	1870	1020	1300	850	350
XL	1740	1970	1100	1400	900	385
XXL	1740	2070	1200	1500	900	400



	SW	SD	CW	CD	DO	KG
XXS	1490	1465	780	1000	650	250
XS	1565	1665	830	1200	700	250
S	1640	1665	880	1200	750	300
M	1715	1665	980	1200	800	300
L	1790	1765	1030	1300	850	350
XL	1865	1865	1100	1400	900	385
XXL	1860	1765	1200	1300	900	400



MADE IN ITALY



www.elteclift.com

Authorised Dealer



Download our app to
customise your elevator

